

Application Note AN-301

Qspeed™ Family



Reverse Recovery Charge, Current and Time

Abstract

When a power diode is quickly reverse biased while it is conducting a high forward current (hard switching), a finite amount of time is required to clear it of charge carriers so that it can block the reverse voltage. The amount of time it takes a hard-switched diode to recover (t_{RR}) has been the typical performance metric used to evaluate diode reverse recovery. However, the amplitude of the reverse current that flows through the diode during the recovery time is a better measure of the performance in a power conversion circuit than t_{RR} alone. This application note will show why the Q_{RR} (the integral of the recovery current over the recovery time) of devices being compared should be used to predict in-circuit performance. Additionally, softness factor will be explained, along with why a high softness ratio is important.

Introduction

A diode's reverse recovery characteristics are quantified by three parameters: the reverse recovery time (t_{RR}), the reverse recovery current (I_{RR}), and the reverse recovery charge (Q_{RR}). I_{RR} , t_{RR} and Q_{RR} are the three main parameters that are used to characterize the diode's reverse recovery behavior, and are typically specified on the datasheet. Another parameter that is not always specified on the datasheet is the softness of the diode's I_{RR} waveform. Those four parameters are determined by the manufacturing processes used to produce a particular device family.

Diode Reverse Recovery Parameters



The Q_{RR} of a power diode is a direct measure of its stored charge; either from the barrier junction capacitance of Schottky devices or the minority carriers that flow within the cathode and drift

region of PN-junction-based devices. All stored charge must be removed so that the depletion region can become big enough to block the reverse voltage. In order to block a high reverse voltage (600 V), those diodes require a wide drift region. The wider the drift region, the more minority charge carriers it can contain during forward conduction. Semi-conductor design engineers can use various techniques to control the duration or the lifetime of minority carriers, such as introducing recombination centers in the drift region of the device structure.

Recombination centers effectively shorten the lifetime of the minority carriers injected by the anode. Shortening minority carrier lifetime reduces the Q_{RR} , I_{RR} and t_{RR} of the device.

Softness Factor

The I_R Softness is the ratio of the two parts of the reverse recovery current: stored charge removal and the return to zero current. Softness is calculated by dividing the time required to remove the stored charge carriers from the diode (t_a) into the time it takes for the resultant reverse current to fall from its peak negative value (I_{RR_PEAK}) back to zero (t_b). $Softness = t_b/t_a$, and the parts of the waveform are shown in Figure 2. The softness of a device's I_{RR} will depend on the lifetime control technique used to reduce Q_{RR} . The softness factor can easily be calculated for diodes that do not have this parameter specified in their data sheets. Platinum (Pt) doping can limit t_{RR} significantly, but it produces an abrupt, snappy cessation of I_{RR} , like that shown Figure 1. It is clear from the curves in Figure 1 that reducing Q_{RR} lowers I_{RR} and t_{RR} . However, the reduction of t_{RR}



obtained by platinum doping does not significantly lower the Q_{RR} and I_{RR} of the device.

Although the t_{RR} of the Q-Series and a Platinum doped device are about equal, the peak I_{RR} of the Platinum doped diode is more than two times the value of the Q-Series diode.

Abrupt recovery also produces excessive EMI and voltage stress across the diode, which requires snubber circuitry or larger EMI filter components. Soft recovery reduces voltage stress and EMI, without the use of snubbers.

Junction Temperature and Q_{RR} , I_{RR} and t_{RR}


In PN-junction based power diodes, Q_{RR} , I_{RR} and t_{RR} vary with junction temperature. Thermal interference slows down minority carrier recombination as junction temperature increases [2]. Therefore, Q_{RR} , I_{RR} and t_{RR} will all increase as the junction temperature rises. Figure 3

shows the dependence of Q_{RR} on junction temperature, for the same three diodes shown in Figure 1. The Q-Series family of parts was designed so that the Q_{RR} of all devices have a low, positive temperature coefficient. That means that the Q_{RR} , I_{RR} and t_{RR} of those diodes will not increase significantly over the normal operating junction temperature range.

The fact that the Q_{RR} and I_{RR} of the Q-Series devices remain consistently low, over a normal operating temperature range, can help to ensure that power supply efficiency and EMI remain within specification, even at the worst-case operating conditions.

Summary

The Q_{RR} of PN-junction, power diodes has been shown to be a more accurate performance metric than its t_{RR} , since devices with low t_{RR} do not necessarily have low Q_{RR} and I_{RR} .



Additionally, the softness of a diode's I_{RR} waveform will determine if snubber circuits will be required to use it safely and to meet conducted and radiated EMI test limits.

References

1. Data taken on device characterization test fixture, Apr., 2007.
2. W. Shockley, W.T. Read, "Statistics of the recombination of holes and electrons", Physical Review, Vol. 87, No. 5, pages 835-842, September, 1952.
3. Data taken on device characterization test fixture, Oct., 2007.

Revision	Notes	Date
1.2	Released by Qspeed	04/08
1.3	Converted to Power Integrations Document	01/11

For the latest updates, visit our website: www.powerint.com

Power Integrations reserves the right to make changes to its products at any time to improve reliability or manufacturability. Power Integrations does not assume any liability arising from the use of any device or circuit described herein. POWER INTEGRATIONS MAKES NO WARRANTY HEREIN AND SPECIFICALLY DISCLAIMS ALL WARRANTIES INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS.

PATENT INFORMATION

The products and applications illustrated herein (including transformer construction and circuits external to the products) may be covered by one or more U.S. and foreign patents, or potentially by pending U.S. and foreign patent applications assigned to Power Integrations. A complete list of Power Integrations' patents may be found at www.powerint.com. Power Integrations grants its customers a license under certain patent rights as set forth at <http://www.powerint.com/ip.htm>.

The PI Logo, TOPSwitch, TinySwitch, LinkSwitch, DPA-Switch, PeakSwitch, CAPZero, SENZero, LinkZero, HiperPFS, HiperTFS, Qspeed, EcoSmart, Clampless, E-Shield, Filterfuse, StackFET, PI Expert and PI FACTS are trademarks of Power Integrations, Inc. Other trademarks are property of their respective companies. ©Copyright 2011 Power Integrations, Inc.

Power Integrations Worldwide Sales Support Locations

WORLD HEADQUARTERS

5245 Hellyer Avenue
San Jose, CA 95138, USA.
Main: +1-408-414-9200
Customer Service:
Phone: +1-408-414-9665
Fax: +1-408-414-9765
e-mail:
usasales@powerint.com

GERMANY

Rueckertstrasse 3
D-80336, Munich
Germany
Phone: +49-89-5527-3911
Fax: +49-89-5527-3920
e-mail:
eurosales@powerint.com

JAPAN

Kosei Dai-3 Building
2-12-11, Shin-Yokohama,
Kohoku-ku, Yokohama-shi,
Kanagawa 222-0033
Japan
Phone: +81-45-471-1021
Fax: +81-45-471-3717
e-mail: japansales@powerint.com

TAIWAN

5F, No. 318, Nei Hu Rd., Sec. 1
Nei Hu District
Taipei 114, Taiwan R.O.C.
Phone: +886-2-2659-4570
Fax: +886-2-2659-4550
e-mail:
taiwansales@powerint.com

CHINA (SHANGHAI)

Rm 1601/1610, Tower 1
Kerry Everbright City
No. 218 Tianmu Road West
Shanghai, P.R.C. 200070
Phone: +86-021-6354-6323
Fax: +86-021-6354-6325
e-mail:
chinasales@powerint.com

INDIA

#1, 14th Main Road
Vasanthanagar
Bangalore-560052
India
Phone: +91-80-4113-8020
Fax: +91-80-4113-8023
e-mail:
indiasales@powerint.com

KOREA

RM 602, 6FL
Korea City Air Terminal B/D, 159-6
Samsung-Dong, Kangnam-Gu,
Seoul, 135-728
Korea
Phone: +82-2-2016-6610
Fax: +82-2-2016-6630
e-mail: koreasales@powerint.com

EUROPE HQ

1st Floor, St. James's House
East Street, Farnham
Surrey GU9 7TJ
United Kingdom
Phone: +44 (0) 1252-730-141
Fax: +44 (0) 1252-727-689
e-mail:
eurosales@powerint.com

CHINA (SHENZHEN)

Rm A, B & C 4th Floor, Block C,
Electronics Science and
Technology Building
2070 Shennan Zhong Road
Shenzhen, Guangdong,
P.R.C. 518031
Phone: +86-755-8379-3243
Fax: +86-755-8379-5828
e-mail:
chinasales@powerint.com

ITALY

Via De Amicis 2
20091 Bresso MI
Italy
Phone: +39-028-928-6000
Fax: +39-028-928-6009
e-mail:
eurosales@powerint.com

SINGAPORE

51 Newton Road,
#19-01/05 Goldhill Plaza
Singapore, 308900
Phone: +65-6358-2160
Fax: +65-6358-2015
e-mail:
singaporesales@powerint.com

APPLICATIONS HOTLINE

World Wide +1-408-414-9660

APPLICATIONS FAX

World Wide +1-408-414-9760